781 201 24955005	<pre>(real ADJ time OR real\$1time) SAME (communication ADJ device)  (real ADJ time OR real\$1time) WITH (communication ADJ device)  ((real ADJ time OR real\$1time) WITH (communication ADJ device)).AB.  (@ptad&lt;19991202) OR (@pd&lt;19991202) OR (@ptpd&lt;19991202) OR (@repd&lt;19991202) OR (@prad&lt;19991202)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:23 2004/04/08 15:29 2004/04/08 15:24
201	(communication ADJ device)  ((real ADJ time OR real\$1time) WITH (communication ADJ device)).AB.  (@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR (@ptpd<19991202) OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	15:29
24955005	(@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR (@ptpd<19991202) OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	1
	(@ptpd<19991202) OR (@repd<19991202) OR	IBM_TDB	1
73	(GP144119991202)	US-PGPUB; EPO; JPO; DERWENT;	2004/04/08 15:25
, 5	(((real ADJ time OR real\$1time) WITH (communication ADJ device)).AB.) AND ((@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/08
26	(@prad<19991202)) ((non ADJ real ADJ time) OR non\$1real\$1time) WITH (communication ADJ device)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/08 15:29
6	<pre>(((non ADJ real ADJ time) OR non\$1real\$1time) WITH (communication ADJ device)).AB.</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/08 15:29
2	((((non ADJ real ADJ time) OR non\$1real\$1time) WITH (communication ADJ device)).AB.) AND ((@ptad<19991202) OR	USPAT; US-PGPUB; EPO; JPO;	2004/04/08
1	(@repd<19991202) OR (@prad<19991202))	IBM_TDB USPAT; US-PGPUB;	2004/04/08 15:15
2	5148007.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 16:15
715	713/168.ccls.	IBM_TDB USPAT; US-PGPUB;	2004/04/07 12:59
989	235/382.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/07
3979	235/375.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/07 13:01
	2 1 2 715	non\$1real\$1time) WITH (communication ADJ device)).AB.  2 ((((non ADJ real ADJ time) OR non\$1real\$1time) WITH (communication ADJ device)).AB.) AND ((@ptad<19991202) OR (@ptyd<19991202) OR (@ptyd<19991202)) authentication ADJ ciphering ADJ offset  2 5148007.pn.  715 713/168.ccls.	Non\$1real\$1time) WITH (communication ADJ device)).AB.

_	2439	235/379.ccls.	USPAT; US-PGPUB;	2004/04/07
			EPO; JPO;	13:02
1	}	·	DERWENT;	
1			IBM TDB	
-	756		USPAT;	2004/04/07
		(@pd<19991202) OR (@ptpd<19991202) OR	US-PGPUB;	13:02
		(@repd<19991202) OR (@prad<19991202))	EPO; JPO;	
			DERWENT;	
	3394	235/375.ccls. AND ((@ptad<19991202) OR	IBM_TDB USPAT;	2004/04/07
	3394	(@pd<19991202) OR (@ptpd<19991202) OR	US-PGPUB;	13:02
		(@repd<19991202) OR (@prad<19991202))	EPO; JPO;	13.02
	1		DERWENT;	
			IBM_TDB	
-	2012	235/379.ccls. AND ((@ptad<19991202) OR	USPAT;	2004/04/07
		(@pd<19991202) OR (@ptpd<19991202) OR	US-PGPUB;	13:02
		(@repd<19991202) OR (@prad<19991202))	EPO; JPO;	
			DERWENT; IBM TDB	
_	185	time AND (((713/168).CCLS.) AND	USPAT;	2004/04/07
		((@ptad<19991202) OR (@pd<19991202) OR	US-PGPUB;	13:03
		(@ptpd<19991202) OR (@repd<19991202) OR	EPO; JPO;	
		(@prad<19991202)))	DERWENT;	
	201	712/1601- NID (/0-1-1/10001000) 05	IBM_TDB	2004/04/07
-	201	713/168.ccls. AND ((@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR	USPAT; US-PGPUB;	2004/04/07 14:01
		(@repd<19991202) OR (@ptpd<19991202) OR (@repd<19991202))	EPO; JPO;	17.01
ĺ		(elepaxissizer) on (epidaxissizer)	DERWENT;	i i
	1		IBM TDB	
-	4284368	synchroniz\$5 OR coordinat\$3 OR combin\$5	USPAT;	2004/04/07
		OR integrat\$3 OR reconcil\$6 OR match\$3	US-PGPUB;	14:02
			EPO; JPO;	
			DERWENT; IBM TDB	
_	173	(713/168.ccls. AND ((@ptad<19991202) OR	USPAT;	2004/04/07
	1	(@pd<19991202) OR (@ptpd<19991202) OR	US-PGPUB;	14:03
	1	(@repd<19991202) OR (@prad<19991202)))	EPO; JPO;	
		AND (synchroniz\$5 OR coordinat\$3 OR	DERWENT;	
		combin\$5 OR integrat\$3 OR reconcil\$6 OR	IBM_TDB	
	137	match\$3)   ((713/168.ccls. AND ((@ptad<19991202) OR	USPAT;	2004/04/07
-	13/	((P13/166.CC13. AND ((eptad<19991202) OR ((eptad<19991202) OR	US-PGPUB;	14:05
	ļ	(@repd<19991202) OR (@prad<19991202)))	EPO; JPO;	
		AND (synchroniz\$5 OR coordinat\$3 OR	DERWENT;	
		combin\$5 OR integrat\$3 OR reconcil\$6 OR	IBM_TDB	
		match\$3)) AND encrypt\$3		2004/04/07
-	168	(sign\$5 OR encrypt\$3) AND ((713/168.ccls. AND ((@ptad<19991202) OR (@pd<19991202)	USPAT; US-PGPUB;	2004/04/07 17:54
		OR (@ptad<19991202) OR (@pd<19991202)  OR (@ptpd<19991202) OR (@repd<19991202)	EPO; JPO;	11.03
		OR (@prad<19991202))) AND (synchroniz\$5	DERWENT;	
		OR coordinat\$3 OR combin\$5 OR integrat\$3	IBM_TDB	
		OR reconcil\$6 OR match\$3))	_	
-	1890	challeng\$3 ADJ3 (response OR respond\$3)	USPAT;	2004/04/07
			US-PGPUB;	17:52
	-		EPO; JPO; DERWENT;	
			IBM TDB	
-	78505	authentic\$5	USPAT;	2004/04/07
			US-PGPUB;	17:51
1			EPO; JPO;	
1			DERWENT;	
_	1306	(challeng\$3 ADJ3 (response OR respond\$3))	IBM_TDB USPAT;	2004/04/07
	1306	AND authentic\$5	US-PGPUB;	17:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	52171	encrypt\$3	USPAT; US-PGPUB;	2004/04/07 17:53
			EPO; JPO; DERWENT; IBM TDB	
-	997	((challeng\$3 ADJ3 (response OR respond\$3)) AND authentic\$5) AND encrypt\$3	USPĀT; US-PGPUB; EPO; JPO;	2004/04/07 17:52
_	74407	\$2crypt\$8	DERWENT; IBM_TDB USPAT;	2004/04/07
	,,,,,,	+2011p040	US-PGPUB; EPO; JPO; DERWENT;	17:53
-	1047	\$2crypt\$8 AND ((challeng\$3 ADJ3 (response OR respond\$3)) AND authentic\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/07 17:53
_	3911529	sign\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/07 17:54
-	912	(\$2crypt\$8 AND ((challeng\$3 ADJ3 (response OR respond\$3)) AND authentic\$5)) AND sign\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/07 17:55
_	252	((\$2crypt\$8 AND ((challeng\$3 ADJ3 (response OR respond\$3)) AND authentic\$5)) AND sign\$5) AND ((@ptad<19991202) OR (@pd<19991202) OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/07
_	192	((eptad<19991202) OR (epa<19991202) OR (eprad<19991202)) (((\$2crypt\$8 AND ((challeng\$3 ADJ3 (response OR respond\$3)) AND	IBM_TDB  USPAT; US-PGPUB;	2004/04/07
		authentic\$5)) AND sign\$5) AND ((@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR (@repd<19991202) OR (@prad<19991202))) AND bit	EPO; JPO; DERWENT; IBM_TDB	
-	86	((((\$2crypt\$8 AND ((challeng\$3 ADJ3 (response OR respond\$3)) AND authentic\$5)) AND sign\$5) AND	USPAT; US-PGPUB; EPO; JPO;	2004/04/07
		((@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR (@repd<19991202) OR (@prad<19991202))) AND bit) AND sum	DERWENT; IBM_TDB	0001/01/05
_	185	((((\$2crypt\$8 AND ((challeng\$3 ADJ3 (response OR respond\$3)) AND authentic\$5)) AND sign\$5) AND ((@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR (@repd<19991202) OR (@prad<19991202))) AND bit) AND (sum OR add\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07
-	135	(((((\$2crypt\$8 AND ((challeng\$3 ADJ3 (response OR respond\$3)) AND authentic\$5)) AND sign\$5) AND ((@ptad<19991202) OR (@ptd<19991202) OR (@ptpd<19991202) OR (@ptpd<19991202) OR (@prad<19991202)) AND bit) AND (sum OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 17:59
-	64	(response OR respond\$3)) AND authentic\$5)) AND sign\$5) AND ((@ptad<19991202) OR (@pd<19991202) OR (@ptpd<19991202) OR (@repd<19991202) OR (@prad<19991202))) AND bit) AND (sum OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 18:02
		add\$5)) AND (mod OR modul\$2)) AND ("XOR" OR exclusive lor OR (exclusive ADJ "or"))		

-	64 ((((((\$2crypt\$8 AND ((challeng\$3 ADJ3	USPAT;	2004/04/07
	(response OR respond\$3)) AND	US-PGPUB;	18:03
į	authentic\$5)) AND sign\$5) AND	EPO; JPO;	
	((@ptad<19991202) OR (@pd<19991202) OR	DERWENT;	
	(@ptpd<19991202) OR (@repd<19991202) OR	IBM TDB	
	(@prad<19991202))) AND bit) AND (sum OR	_	
	add\$5)) AND (mod OR modul\$2)) AND ("XOR"	:	
ļ .	OR exclusive\$1or OR (exclusive ADJ		
	"or"))) AND communicat\$3		1